


Cable Ladders with V rung, Mild Steel Hot Dip Galvanized

Material: Hot rolled iron strip(DIN 17100)*

Finish: Hot dip galvanized(HDG,DIN 50976)**

Length: 2m



Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
101002	200	25	3,00	25x17.5
101013	250	25	3,00	25x17.5
101024	250	40	4,00	25x17.5
101035	300	40	4,00	25x17.5
101046	350	40	4,00	25x17.5
101057	400	40	4,00	25x17.5
101068	450	40	4,00	25x17.5
101079	100	40	5,00	35x17.5
101090	150	40	5,00	35x17.5
101101	200	40	5,00	35x17.5
101112	250	40	5,00	35x17.5
101123	300	40	5,00	35x17.5
101134	350	40	5,00	35x17.5
101145	400	40	5,00	35x17.5
101156	450	40	5,00	35x17.5
101167	500	40	5,00	35x17.5
101178	600	40	5,00	35x17.5
101189	100	50	5,00	35x17.5
101200	150	50	5,00	35x17.5
101211	200	50	5,00	35x17.5
101222	250	50	5,00	35x17.5
101233	300	50	5,00	35x17.5
101244	350	50	5,00	35x17.5
101255	400	50	5,00	35x17.5
101266	450	50	5,00	35x17.5
101277	500	50	5,00	35x17.5
101288	600	50	5,00	35x17.5

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Side channels can be perforated type upon request.


Cable Trays Marine Type, Mild Steel Hot Dip Galvanized

Material: Hot rolled iron strip(DIN 17100)

Treatment: Hot dip galvanized (HDG,DIN50976)

Length: 2m

Perforation: 8x25mm slots



Part Number	Dimensions (mm)		
	Width (W)	Height (A)	Thickness
101299	70	15	1,00
101310	100	15	1,00
101321	120	15	1,00
101332	150	15	1,00
101343	200	15	1,00
101354	250	15	1,00
101365	300	15	1,00
101376	70	30	1,00
101387	100	30	1,00
101398	150	15	1.5
101409	200	15	1.5
101420	120	30	1.5
101431	150	30	1.5
101442	200	30	1.5
101453	250	15	2,00
101464	300	15	2,00
101475	400	15	2,00
101486	500	15	2,00
101497	600	15	2,00
101508	250	30	2,00
101519	300	30	2,00
101530	400	30	2,00
101541	500	30	2,00
101552	600	30	2,00

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material & finish options available upon request (specific selections per product)

Wire-mesh Cable Tray, Mild Steel ElectroGalvanized

Material: Mild Steel ST37*
Finish: Electrogalvanized**
Length: 2m



Part Number	Dimensions (mm)		
	Width (W)	Height (A)	Thickness
101563	100	35	4,00
101574	150	35	4,00
101585	200	35	4,00
101596	250	35	4,00
101607	300	35	4,00
101618	400	35	4,00
101629	100	40	4,00
101640	150	40	4,00
101651	200	40	4,00
101662	250	40	4,00
101673	300	40	4,00
101684	400	40	4,00
101695	450	40	4,00

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material & finish options available upon request (specific selections per product)


Cable Ladders' Flat Bends with V rung, Mild Steel Hot Dip Galvanized
Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**


Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
101706	200	25	3	25x17.5
101717	250	25	3	25x17.5
101728	200	40	4	25x17.5
101739	250	40	4	25x17.5
101750	300	40	4	25x17.5
101761	350	40	4	25x17.5
101772	400	40	4	25x17.5
101783	450	40	4	25x17.5
101794	500	40	4	25x17.5
101805	100	40	5	35x17.5
101816	150	40	5	35x17.5
101827	200	40	5	35x17.5
101838	250	40	5	35x17.5
101849	300	40	5	35x17.5
101860	350	40	5	35x17.5
101871	400	40	5	35x17.5
101882	450	40	5	35x17.5
101893	500	40	5	35x17.5
101904	600	40	5	35x17.5
101915	100	50	5	35x17.5
101926	150	50	5	35x17.5
101937	200	50	5	35x17.5
101948	250	50	5	35x17.5
101959	300	50	5	35x17.5
101970	350	50	5	35x17.5
101981	400	50	5	35x17.5
101992	450	50	5	35x17.5
102003	500	50	5	35x17.5
102014	600	50	5	35x17.5

Notes:
***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Tees with V rung, Mild Steel Hot Dip Galvanized
Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102025	250	25	3	25x17.5
102036	250	40	4	25x17.5
102047	300	40	4	25x17.5
102058	350	40	4	25x17.5
102069	400	40	4	25x17.5
102080	450	40	4	25x17.5
102091	100	40	5	35x17.5
102102	150	40	5	35x17.5
102113	200	40	5	35x17.5
102124	250	40	5	35x17.5
102135	300	40	5	35x17.5
102146	350	40	5	35x17.5
102157	400	40	5	35x17.5
102168	450	40	5	35x17.5
102179	500	40	5	35x17.5
102190	600	40	5	35x17.5
102201	100	50	5	35x17.5
102212	150	50	5	35x17.5
102223	200	50	5	35x17.5
102234	250	50	5	35x17.5
102245	300	50	5	35x17.5
102256	350	50	5	35x17.5
102267	400	50	5	35x17.5
102278	450	50	5	35x17.5
102289	500	50	5	35x17.5
102300	600	50	5	35x17.5

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Crossings with V rung, Mild Steel Hot Dip Galvanized
Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**


Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102311	250	25	3	25x17.5
102322	250	40	4	25x17.5
102333	300	40	4	25x17.5
102344	350	40	4	25x17.5
102355	400	40	4	25x17.5
102366	450	40	4	25x17.5
102377	100	40	5	35x17.5
102388	150	40	5	35x17.5
102399	200	40	5	35x17.5
102410	250	40	5	35x17.5
102421	300	40	5	35x17.5
102432	350	40	5	35x17.5
102443	400	40	5	35x17.5
102454	450	40	5	35x17.5
102465	500	40	5	35x17.5
102476	600	40	5	35x17.5
102487	100	50	5	35x17.5
102498	150	50	5	35x17.5
102509	200	50	5	35x17.5
102520	250	50	5	35x17.5
102531	300	50	5	35x17.5
102542	350	50	5	35x17.5
102553	400	50	5	35x17.5
102564	450	50	5	35x17.5
102575	500	50	5	35x17.5
102586	600	50	5	35x17.5

Notes:


***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Vertical Inside Risers with V rung
Mild Steel Hot Dip Galvanized

Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102597	250	25	3	25x17.5
102608	250	40	4	25x17.5
102619	300	40	4	25x17.5
102630	350	40	4	25x17.5
102641	400	40	4	25x17.5
102652	450	40	4	25x17.5
102663	100	40	5	35x17.5
102674	150	40	5	35x17.5
102685	200	40	5	35x17.5
102696	250	40	5	35x17.5
102707	300	40	5	35x17.5
102718	350	40	5	35x17.5
102729	400	40	5	35x17.5
102740	450	40	5	35x17.5
102751	500	40	5	35x17.5
102762	600	40	5	35x17.5
102773	100	50	5	35x17.5
102784	150	50	5	35x17.5
102795	200	50	5	35x17.5
102806	250	50	5	35x17.5
102817	300	50	5	35x17.5
102828	350	50	5	35x17.5
102839	400	50	5	35x17.5
102850	450	50	5	35x17.5
102861	500	50	5	35x17.5
102872	600	50	5	35x17.5

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum


****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Vertical Outside Risers with V rung

**Cable Ladders' Vertical Outside Risers with V rung
Mild Steel Hot Dip Galvanized**

Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102883	100	40	5	35x17.5
102894	150	40	5	35x17.5
102905	200	40	5	35x17.5
102916	250	40	5	35x17.5
102927	300	40	5	35x17.5
102938	350	40	5	35x17.5
102949	400	40	5	35x17.5
102960	450	40	5	35x17.5
102971	500	40	5	35x17.5
102982	600	40	5	35x17.5
102993	100	50	5	35x17.5
103004	150	50	5	35x17.5
103015	200	50	5	35x17.5
103026	250	50	5	35x17.5
103037	300	50	5	35x17.5
103048	350	50	5	35x17.5
103059	400	50	5	35x17.5
103070	450	50	5	35x17.5
103081	500	50	5	35x17.5
103092	600	50	5	35x17.5

Notes:


***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Trays' Flat Bends, Mild Steel Hot Dip Galvanized


Material: Mild Steel*
Finsh: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)		
	Width (W)	Height (A)	Thickness
103103	70	15	1
103114	100	15	1
103125	120	15	1
103136	150	15	1.5
103147	200	15	1.5
103158	70	30	1.5
103169	100	30	1.5
103180	120	30	1.5
103191	250	15	2
103202	300	15	2
103213	400	15	2
103224	500	15	2
103235	600	15	2
103246	150	30	2
103257	200	30	2
103268	250	30	2
103279	300	30	2
103290	400	30	2
103301	500	30	2
103312	600	30	2

Cable Trays'/Ladders' Solid Covers, Mild Steel Hot Dip Galvanized


Material: Mild Steel*
Finsh: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)		
	Width (W)	Height (A)	Thickness
103323	100	12	1
103334	150	12	1
103345	200	12	1
103356	250	12	1
103367	300	12	1
103378	400	12	1.2
103389	450	12	1.2
103400	500	12	1.2
103411	600	12	1.5
103422	750	12	1.5
103433	900	12	1.5

Perforated Bars, Mild Steel ElectroGalvanized


Material: Mild Steel*
Finsh: ElectroGalvanized**



Part Number	Dimensions (mm)		
	Width (W)	Thickness	Length
103444	30	3	2000
103455	40	4	2000
103466	30	5	3000
103477	40	5	3000

Perforated L-Channels, Mild Steel ElectroGalvanized

Material: Mild Steel*
Finsh: ElectroGalvanized**



Part Number	Dimensions (mm)		
	Width (W)	Thickness	Length
103488	30	2	2400
103499	40	2	3000
103510	30	3	3000
103521	40	3	3000
103532	50	3	2000
103543	30	4	3000
103554	40	4	3000

Splice Connectors, Mild Steel ElectroGalvanized

Material: Mild Steel*
Finsh: ElectroGalvanized**



Part Number	Dimensions (mm)		
	Width	Height	Thickness
103565	30	150	5
103576	40	150	5
103587	50	150	5

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, ElectroGalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material & finish options available upon request (specific selections per product)